

Units & Unit Conversion

Units and unit conversion can be a bit daunting. The key to converting between different units is to use a systematic approach. It also helps to understand the background of the metric system.

In Table 1 below is a scale. The unit corresponding to 'one/1' is our main unit. We use the prefixes to tell us how far away we are from this main unit. For example, a kilometre is 1000 times greater than one (1) meter (meter being our main unit), and one kilogram is 1000 times greater than one (1) gram.

Similarly, one millimetre is one-thousandth of a meter, or one meter divided by 1000 (1m/1000), and one milligram is one-thousandth of one gram (1g/1000).

Table 1: Unit Conversion

Scale	Prefix	Symbol	Decimal	Scientific notation	Fraction
trillion*	tera	T	1 000 000 000 000	10^{12}	
billion*	giga	G	1 000 000 000	10^9	
million	mega	M	1 000 000	10^6	
thousand	kilo	K	1 000	10^3	
hundred	hecto	H	100	10^2	
ten	deca	da	10	10^1	
one	main unit	no symbol	1	10^0	
tenth	deci	d	0.1	10^{-1}	$\frac{1}{10}$
hundredth	centi	c	0.01	10^{-2}	$\frac{1}{100}$
thousandth	milli	m	0.001	10^{-3}	$\frac{1}{1000}$
millionth	micro	μ	0.000 001	10^{-6}	$\frac{1}{1000 000}$
billionth*	nano	n	0.000 000 001	10^{-9}	$\frac{1}{1000 000 000}$
trillionth*	pico	p	0.000 000 000 001	10^{-12}	$\frac{1}{1000 000 000 000}$

* Using the short scale system



Find this helpsheet online
studyskills.federation.edu.au

Scientific notation

Because numbers can get really large and really small, scientific notation is often used for any numbers over 1000 or below 0.001 (above and below the thousand and thousandth scales).

In scientific notation you will see a 10 with a superscript number. The superscript indicates how many times 10 will be multiplied by itself. For example,

$$10^2 = 10 \times 10 = 100$$

$$10^4 = 10 \times 10 \times 10 \times 10 = 10,000$$

If the superscript is negative, this represents how many times we multiply $\frac{1}{10}$. For example,

$$10^{-2} = \frac{1}{10} \times \frac{1}{10} = \frac{1}{100} = 0.01$$

$$10^{-4} = \frac{1}{10} \times \frac{1}{10} \times \frac{1}{10} \times \frac{1}{10} = \frac{1}{10000} = 0.0001$$

Engineering notation

Engineering notation is similar to scientific notation, however the exponent is only used in multiples of 3 (stepping up by 1000). For example, 10^3 , 10^6 , 10^9 and 10^{12} . Where scientific notation would express 23500 as 2.35×10^4 , in engineering notation it would be written as 23.4×10^3 .

International System of Units (SI Units)

SI Units are a system of units that have been accepted as the standard units across the world. Some countries still use other unit systems, such as the imperial system (which includes cups, feet and stone). However, the metric SI system is the system used within science.

Table 2: The Seven Base SI Units

Base SI Units	Symbol	Miscellaneous information
Metre (length)	m	We also use length to measure volume. Volume = m^3 1 Liter (L) = 1dm^3
Kilogram* (mass)	Kg*	Note that kg is a measurement for <i>mass</i> and not <i>weight</i> . Weight is mass times gravity (gravity on earth = 9.8m/s^2).
Second (time)	s	$60\text{s} = 1\text{minute}$; $60\text{ minutes} = 1\text{ hour}$
Kelvin (temperature)	K	$0^\circ\text{C} = 273.15\text{K}$
Mole (amount of substance)	mol	Frequently used in chemistry to measure amounts of a substance. 1 mole = 6.022×10^{23} individual particles (e.g. atoms or molecules).
Ampere (electric current)	A	Flow of electric charge.
Candela (luminous intensity)	cd	The amount of visible light that is emitted in a particular direction per unit solid angle.

*Kg is the SI unit for mass, however, the units are named as if gram (g) was the base unit!



Find this helpsheet online
studyskills.federation.edu.au

Numerous other units are derived from these base units. For example:

Volume = m^3

NB: 1L = 1dm³

Area = m^2

Newton (N) = $kg \times m \times s^{-2}$

Volt (V) = $kg \times m^2 \times s^{-1} \times A^{-1}$

Conversion process

Numerous different units can be derived, such as from the imperial system to the metric system. When converting units, you need to multiply your unit with the relevant conversion factor.

Example 1: convert kilometres to metres

To find how many metres are in 0.5 km, first refer to the table on page one of this helpsheet. You will note that 1 km is the same as 1000 metres (or $10^3 m$).

So: $0.5 \text{ km} = 0.5 \times 10^3 = 500 \text{ m}$

The best method is to use a **conversion equation**, particularly if you are converting multiple units.

We know that in 1 km, we have 1000 m. Hence, we have $1000 \text{ m} / 1 \text{ km}$ (read as 1000 metres per 1 kilometre).

$$0.5 \text{ km} \times \frac{1000 \text{ m}}{1 \text{ km}} = 500 \text{ m}$$

NB: Because any number can be divided by one and *remain itself*, we can also write 0.5 km as $0.5 \text{ km} / 1$. (Imagine: if you have a small cake for one person, to “divide” it into one serve, you will not cut the cake; it will remain its original size.)

So add ‘1’ under the 0.5 km, thus:

$$\frac{0.5 \text{ km}}{1} \times \frac{1000 \text{ m}}{1 \text{ km}} = 500 \text{ m}$$

Cancel out the kilometers, thus:

$$\frac{0.5 \text{ km}}{1} \times \frac{1000 \text{ m}}{1 \text{ km}} = 500 \text{ m}$$

The reason cancelling out the kilometres works is because we are multiplying the two numerators (top numbers) together, and the denominators (bottom numbers) together.

We end up with:

$$\frac{0.5 \text{ km}}{1} \times \frac{1000 \text{ m}}{1 \text{ km}} = \frac{500 \text{ km} \times \text{m}}{1 \text{ km}}$$

Remember, any number divided by itself equals one. Therefore, the full equation with all steps would be:

$$\frac{0.5 \text{ km}}{1} \times \frac{1000 \text{ m}}{1 \text{ km}} = \frac{500 \text{ km} \times \text{m}}{1 \text{ km}} = \frac{500 \text{ m}}{1} \times 1 = 500 \text{ m}$$



Find this helpsheet online
studyskills.federation.edu.au

Example 2: convert millimeters per second to metres per minute

Now let's make it a bit trickier! How would you go about converting a measurement in millimeters per second to metres per minute?

With an example measurement of 24 mm/s, FIRST write the equation with the conversion factors.

Tip: if you forget what unit to put as a numerator or denominator, remember that we want to cancel out the mm and the s. To do this, we need to have *one of each* on the top, and one on the bottom. This means putting the 1000 mm on the bottom, as the 24 mm are on top.

$$\frac{24\text{mm}}{1\text{s}} \times \frac{60\text{s}}{1\text{min}} \times \frac{1\text{m}}{1000\text{mm}} = 1.44 \text{ m/min}$$

Now let's start cancelling out. We cancel out the millimeters (red circle) as we have one on the top and one down the bottom. We can also cancel out the seconds (s), which leaves us with meters (m) on top, and minutes on the bottom (min).

$$\frac{24\text{mm}}{1\text{s}} \times \frac{60\text{s}}{1\text{min}} \times \frac{1\text{m}}{1000\text{mm}} = 1.44 \text{ m/min}$$

Diagram showing the cancellation of units: 'mm' is circled in red and crossed out with a red line. 's' is circled in green and crossed out with a green line. 'mm' is circled in red and crossed out with a red line.

Our final unit is metres per minute.

Example 3: convert inches to centimeters

To convert a measurement from inches to centimeters, you need to know how many inches are in one centimeter. A quick internet search tells us there are 2.54 cm per inch.

Follow these steps to convert 3 inches to cm:

$$\frac{3 \text{ inches}}{1} \times \frac{2.54 \text{ cm}}{1 \text{ inches}} = 7.62 \text{ cm}$$

$$\frac{3 \text{ inches}}{1} \times \frac{2.54 \text{ cm}}{1 \text{ inches}} = 7.62 \text{ cm}$$

Diagram showing the cancellation of units: 'inches' is circled in red and crossed out with a red line. 'inches' is circled in red and crossed out with a red line. 'cm' is circled in green and crossed out with a green line.

Activity

Convert the following units:

1. 2.45 cm to metres

$$\text{_____} \times \text{_____} =$$

2. 7853 g to kg

$$\text{_____} \times \text{_____} =$$

3. 45 g/mL to kg/L

$$1\text{L} = 1 \text{ ____} \text{ and } 1\text{mL} = 1 \text{ ____}$$

$$\text{_____} \times \text{_____} \times \text{_____} =$$



Find this helpsheet online
studyskills.federation.edu.au

1. $\frac{2.45\text{cm}}{100\text{cm}} \times \frac{1\text{m}}{1\text{m}} = \frac{2.45\text{m}}{100\text{m}} = 0.0245 \text{ (or } 2.45 \times 10^{-2} \text{)}$

2. $\frac{1}{7853\text{g}} \times \frac{1\text{kg}}{1\text{kg}} = \frac{1}{7853\text{kg}} = 7.853\text{kg}$

3. $1\text{L} = 1\text{dm}^3 \text{ and } 1\text{mL} = 1\text{cm}^3$

ANSWERS

Were you confused about 1dm^3 equaling 1000cm^3 ?

If you were confused, check the unit conversion table again - you will see dm (decimetre) and cm (centimetre) are only one step apart! This is because the units are *cubed*.

Remember from scientific notation, that $10^3 = 1000$. The same concept applies to a unit which has been cubed. Looking at Figure 1 below, we can see that it would take 1000 cubic centimetres to fill one cubic decimetre (which is one litre).

$$1 \text{ cubic dm (1dm}^3\text{)} = 1 \text{ Litre}$$




Figure 1: 1dm^3 compared to 1cm^3

Figure 2: Cubic dm (Litre) compared to cubic cm (mL)

Related helpsheets

- Rearranging Equations
- Fractions
- Percentages & Ratios
- Figures & Tables
- Incorporating Evidence



Find this helpsheet online
studyskills.federation.edu.au